



Velox Slide Door

- * available in widths of 3', 4' or 5'
- * for 6' or 8' widths, use a double sliding door
- * available in heights of 6' or 8'
- * chose slide left or slide right to open
- * no overhead track offers complete, open access
- * constructed of 2" x 2" x 8-guage wire
- * doors come equipped with a standard snap latch
- * Fortress electric shut-off locks are also available

Velox Single Slide Door (no overhead track obstruction)

Height	Width	Actual Opening	Overhead	Door Opening	Weight	Part Number
6'	3'	34-1/4"	Clear	Slide Left To Open	130.80	XGC590366-098
6'	3'	34-1/4"	Clear	Slide Right To Open	130.80	XGC590366-097
6'	4'	46-1/4"	Clear	Slide Left To Open	153.12	XGC590466-098
6'	4'	46-1/4"	Clear	Slide Right To Open	153.12	XGC590466-097
6'	5'	58-1/4"	Clear	Slide Left To Open	175.48	XGC590566-098
6'	5'	58-1/4"	Clear	Slide Right To Open	175.48	XGC590566-097
8'	3'	34-1/4"	Clear	Slide Left To Open	158.42	XGC590390-098*
8'	3'	34-1/4"	Clear	Slide Right To Open	158.42	XGC590390-097*
8'	4'	46-1/4"	Clear	Slide Left To Open	184.32	XGC590490-098*
8'	4'	46-1/4"	Clear	Slide Right To Open	184.32	XGC590490-097*
8'	5'	58-1/4"	Clear	Slide Left To Open	210.29	XGC590590-098*
8'	5'	58-1/4"	Clear	Slide Right To Open	210.29	XGC590590-097*

*not available from 48 hour quick ship



Velox Double Slide Door

- *available in widths of 6' and 8'
- * available in heights of 6' and 8'
- * no overhead track offers complete, open access
- * heavy duty casters included

Velox Double Slide Door (no overhead track obstruction)

Height	Width	Actual Opening	Overhead	Door Opening	Weight	Part Number
6'	6'	70-1/4"	Clear	Double	229.18	XGC610666
6'	8'	94-1/4"	Clear	Double	273.82	XGC610866
8'	6'	70-1/4"	Clear	Double	276.34	XGC610690*
8'	8'	94-1/4"	Clear	Double	328.14	XGC610890*

*not available from 48 hour quick ship



Velox Swing Door

- * available in widths of 3' or 4'
- * for 6' or 8' widths, use a double swing door
- * available in heights of 6' or 8'
- * chose hinge left or hinge right to open
- * 6' door has no overhead obstruction, offering complete, open access
- * 8' door has a 24" transom, increasing rigidity of door structure
- * constructed of 2" x 2" x 8-guage wire
- * doors come equipped with a standard snap latch
- * Fortress electric shut-off locks are also available

Velox Swing Doors

Height	Width	Actual Opening	Overhead	Door Opening	Weight (lbs)	Part Number
6'	3'	34-1/4"	Clear	Hinge Left, Swing Out	81.62	XGC220366-091
6'	3'	34-1/4"	Clear	Hinge Right, Swing Out	81.62	XGC220366-094
6'	4'	46-1/4"	Clear	Hinge Left, Swing Out	86.63	XGC220466-091
6'	4'	46-1/4"	Clear	Hinge Right, Swing Out	86.63	XGC220466-094
8'	3'	34-1/4"	7'	Hinge Left, Swing Out	99.29	XGC220390-091
8'	3'	34-1/4"	7'	Hinge Right, Swing Out	99.29	XGC220390-094
8'	4'	46-1/4"	7'	Hinge Left, Swing Out	105.28	XGC220490-091
8'	4'	46-1/4"	7'	Hinge Right, Swing Out	105.28	XGC220490-094



Velox Double Swing Door

- *available in widths of 6' and 8'
- * available in heights of 6' and 8'
- * no overhead track offers complete, open access

Velox Double Swing Doors

Height	Width	Actual Opening	Overhead	Door Opening	Weight (lbs)	Part Number
6'	6'	70-1/4"	Clear	N/A	118.39	XGC400666
6'	8'	94-1/4"	Clear	N/A	134.72	XGC400866
8'	6'	70-1/4"	Clear	N/A	165.98	XGC400690*
8'	8'	94-1/4"	Clear	N/A	189.86	XGC400890*

*not available from 48 hour quick ship